







Mobile Bluetooth Receipt Printer Specification		
Model No.		MobiPrint MP-T3 BTA
<b>Features:</b> <div style="display: flex; align-items: center; gap: 10px;">     </div> <p>           Light weight for taking conveniently            Pocket size 102 x 77 x 36mm            Direct thermal printing method            Easy to use and simple to maintain            Easy drop-in clamshell paper loading            Continuing printing when battery in charging         </p>		
Print	Printing Method	Thermal Line
	Printing Speed	50mm/s
	Resolution	8 dots/mm 384 dots/line
	Effective Printing Width	48mm
Character	Character Set	ASCII, GB18030 (Chinese), BIG5
	Print Font	Codepage, ANK: 12 x24, 9X24; Chinese: 24x24
	Character per Line	32
Paper Spec	Paper Type	Thermal paper
	Paper Width	57.5± 0.5mm
	Paper Roll Diameter	40mm(max.)
	Roll Core Inner Diameter	13mm(min.)
	Paper Thickness	0.06~0.08mm
Ribbon Cassette		N/A
Paper Supply Method		Drop-in easy paper loading
Printer Mechanism		Fujitsu Brand
Reliability	MCBF(Mean Cycles Between Failure)	1.5 million lines
	TPH	50km
Smart Card		N/A
MSR		N/A
Barcode		EAN-13,EAN-8,UPC-A,UPC-E,CODE39, CODE93,CODE128,CODABAR, INTERLEAVED 25, ITF25
Emulation		ESC/POS
Driver		Windows 98 / ME / 2000 / NT / XP / 2003 Server/Vista/Win7

Sensor		Paper End Sensor
Interface		RS-232/Bluetooth/IrDA/USB
Others	Button	Power, Feed, Mode
	Indicator	Power, Feed, Mode
	LCD	N/A
	Display Content	N/A
	Memory	Flash: 512kb; RAM: 64kb
	Receive Buffer Size	1K
	SDK	Windows CE; Windows Mobile 5.0/6.0; Symbian; Blackberry and Android
	Multi-languages	21 codepages
	Setup Software	support set bitmap download, baud rate, font, speed, density, password, black mark, Bluetooth etc.
Power	Power Supply (Adapter)	DC 9V/2A
	Battery Power	7.4V, 1.5A rechargeable Li-ion battery
	Battery Charge	100m continuous printing
	Charge Time	less than 3 hours
	Battery Duration	360 hours
Auto Cutter	Type	N/A
	Life	N/A
	Cutting Method	N/A
Physical	Net Weight	200g
	Gross Weight	275g (Including battery & roll paper)
	Printer Dimension(WxLxH)	102 mm x 77 mm x 36 mm
	Color	Beige
Environment	Operating Temp	0-50 °C
	Storage Temp	-20-60°C
	Operating Humidity	10%-80%
	Storage Humidity	10%-90%
Accessories		Battery, Charger, RS232 Cable,CD Driver,Leather Case and Paper-roll Option: vehicle charger
Inner Package (WxLxH)		155mm x 210mm x 90mm(1kg)
Outer Package (WxLxH)		320mm x 430mm x 280mm(12 units, 12kg)
Other features		Paper detection, power detection, Manual shut down
Bluetooth Password		Enter default pairing code "1234", it can be customized. At max 6 digitals.

## Description:

Mini Bluetooth Printer is a portable thermal printer that combines USB, RS-232 Serial and Bluetooth communication interface together. The printer could be powered by car charger, and rechargeable battery (depending on specified models). These special characters make it successfully be applied to a variety of instruments, handheld data printing.



## Application Area:

Compared to the traditional thermal receipt printer, Mini printer has smaller body, more reliable capability, more steady printing and portable advantages. The Mini printer can work on a lot of locations, such as the TAXI bill printing, administrative fees receipt printing, post receipt printing, restaurant ordering information printing, online payment information printing, etc. With the rapid popularity of smart-mobile, tablet and so on, Mini printer will be more widely used in the near future.



## Packing Details

- 1 unit thermal receipt printer
- 1 roll thermal paper
- 1 pc power adaptor
- 1 pc leather case
- 1 pc battery
- 1 pc interface cable

## Power adaptor for option:



## Warranty:

Battery: six months.  
Other parts of printer: 12 months upon delivery normally.

**mobilator.pl**<sup>TM</sup>