




| Mobile Bluetooth Receipt Printer Specification   |                                   |  |
|--|-----------------------------------|--|
| Model No.  |                                   | MobiPrint MP-T9BT  |
| <b>Features:</b>  <ul style="list-style-type: none"> <li>-Quick and efficient printing</li> <li>-Long lasting lithium-ion battery</li> <li>-Easy drop-in clamshell paper loading</li> <li>-Supports wide variety of serial and wireless communication options</li> <li>-Continuous printing even battery is charging</li> <li>-Easy to store setup parameters by setup tools</li> </ul> |                                   |                                  |
| Print  | Printing Method                   | Thermal Line   |
|  | Printing Speed                    | 80mm/s   |
|  | Resolution                        | 8 dots/mm<br>576 dots/line   |
|  | Effective Printing Width          | 72mm   |
| Character  | Character Set                     | ASCII, GB18030 (Chinese), BIG5   |
|  | Print Font                        | Codepage, ANK: 9×17 / 12 x24, Chinese: 24x24   |
|  | Character per Line                | 48   |
| Paper Spec   | Paper Type                        | Thermal paper  |
|  | Paper Width                       | 80.0± 0.5mm  |
|  | Paper Roll Diameter               | 40mm(max.)   |
|  | Roll Core Inner Diameter          | 13mm(min.)   |
|  | Paper Thickness                   | 0.06~0.08mm  |
| Ribbon Cassette  |                                   | N/A  |
| Paper Supply Method  |                                   | Drop-in easy paper loading   |
| Printer Mechanism  |                                   | Fujitsu Brand  |
| Reliability  | MCBF(Mean Cycles Between Failure) | 1.5 million lines  |
|  | TPH                               | 50km   |
| Smart Card   |                                   | N/A  |
| MSR  |                                   | N/A  |
| Barcode  |                                   | 1D: EAN-13, EAN-8, UPC-A, UPC-E, CODE39, CODE93, CODE128, CODABAR, INTERLEAVED 25<br>2D: PDF417、QRCODE、DATA Matrix |
| Emulation  |                                   | ESC/POS  |
| Driver   |                                   | Windows 98 / ME / 2000 / NT / XP / 2003<br>Server/Vista/Win7   |
| Sensor   |                                   | Paper End Sensor   |
| Interface  |                                   | USB/Bluetooth  |

|                       |                          |  |
|-----------------------|--------------------------|--|
| Others                | Button                   | Power, Feed, Mode  |
|                       | Indicator                | Power, Feed, Mode  |
|                       | LCD                      | N/A  |
|                       | Display Content          | N/A  |
|                       | Memory                   | Flash: 512kb; RAM: 128kb   |
|                       | Receive Buffer Size      | 32K  |
|                       | SDK                      | Windows CE; Windows Mobile 5.0/6.0; Symbian; Blackberry; Android and iOS                           |
|                       | Multi-languages          | 46 codepages   |
|                       | Setup Software           | support set bitmap download, baud rate, font, speed, density, password, black mark, Bluetooth etc. |
| Power                 | Power Supply (Adapter)   | DC9V/2A  |
|                       | Battery Power            | 7.4V, 1.5A rechargeable Li-ion battery   |
|                       | Battery Charge           | 100m continuous printing   |
|                       | Charge Time              | less than 3 hours  |
|                       | Battery Duration         | standby 360 hours, continuous printing 100m length   |
| Auto Cutter           | Type                     | N/A  |
|                       | Life                     | N/A  |
|                       | Cutting Method           | N/A  |
| Physical              | Net Weight               | 256g   |
|                       | Gross Weight             | 516g (Including battery & roll paper)  |
|                       | Printer Dimension(WxLxH) | 103mm x99mm x 46mm   |
|                       | Color                    | Black/Beige  |
| Environment           | Operating Temp           | 0-50°C   |
|                       | Storage Temp             | -20-60°C   |
|                       | Operating Humidity       | 10%-80%  |
|                       | Storage Humidity         | 10%-90%  |
| Application           |                          | Restaurants, Department Stores, Kitchen, Convenience Stores, Specialty Retail, Supermarket         |
| Accessories           |                          | Battery,Charger USB Cable,CD Driver,Leather Case and Paper-roll<br>Option: vehicle charger         |
| Inner Package (WxLxH) |                          | 210mm x 155mm x 90mm(1.5kg)  |
| Outer Package(WxLxH)  |                          | N/A  |
| Bluetooth Password    |                          | Enter default pairing code "1234", it can be customized.<br>At max 6 digitals.                     |

## Description:

Mini Bluetooth Printer is a portable thermal printer that combines USB, RS-232 Serial and Bluetooth communication interface together. The printer could be powered by car charger, and rechargeable battery (depending on specified models). These special characters make it successfully be applied to a variety of instruments, handheld data printing.



[CHARGE]: Battery charge indicator

[ERROR]: Error indicator

[FEED]: FEED button

[MODE]: MODE button



Made for  
• iPhone 4S  
• iPhone 4  
• iPhone 3GS  
• iPod touch (4th generation)  
• iPod touch (3rd generation)  
• iPad2  
• iPad

"Made for iPod," "Made for iPhone," and "Made for iPad" mean that an electronic accessory has been designed to connect specifically to iPod, iPhone, or iPad, respectively, and has been certified by the developer to meet Apple performance standards. Apple is not responsible for the operation of this device or its compliance with safety and regulatory standards. iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries.



## Application Area:

Compared to the traditional thermal receipt printer, Mini printer has smaller body, more reliable capability, more steady printing and portable advantages. The Mini printer can work on a lot of locations, such as the TAXI bill printing, administrative fees receipt printing, post receipt printing, restaurant ordering information printing, online payment information printing, etc. With the rapid popularity of smart-mobile, tablet and so on, Mini printer will be more widely used in the near future.

## Packing Details

- 1 unit thermal receipt printer
- 1 roll thermal paper
- 1 pc power adaptor
- 1 pc leather case
- 1 pc battery
- 1 pc interface cable

## Power adaptor for option:



## Warranty:

Battery: six months.

Other parts of printer: 12 months upon delivery normally.

**mobikator.pl**<sup>TM</sup>